

fall
protection
only

neofeu)

by PMS GROUP
FABRICANT FRANÇAIS

arb'o

REF.
NELUS150

MAX

140 KG



TREE CLIMBING BELT




neofeu.com

REGULATION

2016 / 425

CERTIFICATION

EN 358 : 2018
EN 813 : 2008

NELUS150_ARBO_GB_IND04 Rev100321


COMFORT / ACCESSORIES



LARGE POSITIONING BELT WITH BREATHABLE 3D FABRIC



LARGE LEGS WITH BREATHABLE 3D FABRIC + 2 TOOL HOLDERS




AUTOMATIC ALUMINUM BUCKLES WITH LOCKING INDICATOR



TOOL HOLDERS (x6) + LARGE TEXTILE STRINGS FOR TOOL HOLDING (x2) + CHAINSAW HOLDERS LOCATION



TRIANGULATION QUICK ADJUSTMENT



LEGS ADJUSTMENT WITH ELASTIC STRAPS



LOCKING ADJUSTMENT OF BELT WITH ANTI-SLIP SYSTEM

ATTACHMENT POINTS



350MM AND 450MM DOUBLE SUSPENSION BRIDGE EQUIPPED WITH ALUMINUM RINGS



LATERAL ATTACHMENT POINTS WITH ALUMINUM RINGS FOR WORK POSITIONING

SPARE BRIDGE INCLUDED




DOUBLE BRIDGE IN ARAMID INCLUDED (WITHOUT RINGS)




WORK POSITIONING ATTACHMENT POINT ON ALUMINUM OFFSET PLATE

STANDARDS

EN 358 : 2018



EN 813 : 2008




TECHNICAL SPECIFICATIONS

- Water repellent webbing in polyester 44 mm (R ≥ 25 kN)
- Automatic aluminum buckles with locking indicator on belt and legs
- Height adjustment on legs with sandows protected by braided sheath
- Lateral work positioning rings in anodized aluminum rings
- Large legs with breathable 3D fabric and automatic alu buckle
- Large positioning belt with breathable 3D fabric, adjustable on height equipped with 2 large textile strings for tool holding and 6 D tool holders in plastic
- Many straps locations on the belt to set up the chainsaw carabiner
- Double bridge Ø12mm in polyamide braided rope with anodized aluminum rings. ajustable length and removable by means of knots.
- Static resistance ≥ 15kN
- Weight : 1,75 kg

Available accessories:

- Shoulder straps for rigging operations (Ref. : NELUS124)
- Removable comfort back PAD for shoulder straps (Ref. : NPAD02)
- Seat (Ref. : NELUS126)

SIZES



65 cm	≤	Size S	≤	105 cm
85 cm	≤	Size M-L	≤	120 cm
105 cm	≤	Size XL	≤	130 cm
115 cm	≤	Size XXL	≤	135 cm

45 cm	≤	Size S	≤	65 cm
50 cm	≤	Size M-L	≤	75 cm
60 cm	≤	Size XL	≤	80 cm
65 cm	≤	Size XXL	≤	90 cm

USE

Seat belt for work positioning intended for tree care.

DESCRIPTION

ARB'O is a seat belt for work positioning especially designed for tree climbing. The belt and legs straps integrate a semi-rigid large and breathable pad, made of 3D fabric which improve its comforts. **ARB'O** is easy to adjust to fit the user with its quick ajustement systems and aluminum automatic buckles. The adjustable elastic webbing connecting the leg straps to the belt facilitates the user ascent on rope.

The double bridge in polyamide rope equipped with aluminum rings, can be easily adjusted and replace through specific knots. The side anchor plate allows not only to connect the double bridge but to connect the work positioning lanyard fitted associated with an **ERG'O** type rope adjuster. The **ARB'O** tree climbing belt is also equipped with many loops and tool-holders to carry your working tools and accessories.

REFERENCES

NELUS150..S	Size S
NELUS150..ML	Size M/L
NELUS150..XL	Size XL
NELUS150..XXL	Size XXL*

*on request

